

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**


**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

*Fig. 1A Fig. 1B Fig. 1C Fig. 1D*




Red – Rhodamine in Cochleate Lipid  
 Green – FITC in Morpholino  
 Yellow, Yellow-Green or Orange – Cochleate And Morpholino Co-localization


*Fig. 2A*




*Fig. 2B*



*Fig. 3*




*Fig. 4A*



*Fig. 4B*



*Fig. 5*



3/7

# Incubation of SKOV cells with siRNA/Cochleates





Fig. 6

**Partial knockdown of Cytoplasmic erbB2 in SKOV3 cells after  
24h exposure to siRNA(erbB2) cochleates**



**Fig. 7**

5/7

Confocal Microscopy of siRNA-Cochleates Administered to SKOV3 cells




Fig. 8




Fig. 9




Fig. 10